

## Native Plant List - approved for planting in greenbelts

**(all other plants require approval by the Greenbelt Committee)**

<u>type</u>	<u>common name</u>	<u>latin name</u>	<u>exposure</u>	<u>moisture</u>	<u>height</u>	<u>avail.</u>	<u>ease</u>
Shrub	<b>bald hip rose</b>	<i>Rosa gymnocarpa</i>	sun - shade	dry - wet	4	M	H
Shrub	<b>beaked hazelnut</b>	<i>Corylus cornuta</i> var. <i>californica</i>	sun - shade	dry - moist	20	M	M
Shrub	<b>black cap raspberry</b>	<i>Rubus leucodermis</i>	sun - shade	dry - wet	7	L	H
Shrub	<b>black gooseberry</b>	<i>Ribes lacustre</i>	sun - shade	moist - wet	5	M	M
Shrub	<b>blue elderberry</b>	<i>Sambucus caerulea</i>	sun - part shade	dry - moist	15	M	M
Shrub	<b>bog laurel</b>	<i>Kalmia microphylla</i>	sun - part shade	wet	3	M	M
Shrub	<b>bog rosemary</b>	<i>Andromeda polifolia</i>	sun - part shade	wet	1.5	M	M
Shrub	<b>evergreen huckleberry</b>	<i>Vaccinium ovatum</i>	part shade - shade	dry - moist	6	H	M
Shrub	<b>hairy manzanita</b>	<i>Arctostaphylos columbiana</i>	sun	dry	15	L	L
Shrub	<b>highbush cranberry; mooseberry</b>	<i>Viburnum edule</i>	sun - part shade	moist - wet	12	L	M
Shrub	<b>hybrid manzanita</b>	<i>Arctostaphylos X. media</i>	sun	dry	3	L	L
Shrub	<b>indian plum; osoberry</b>	<i>Oemleria cerasiformis</i>	part shade - shade	dry - moist	15	M	M
Shrub	<b>low Oregon grape</b>	<i>Mahonia nervosa</i>	part shade - shade	dry - moist	3	H	M
Shrub	<b>mock orange</b>	<i>Philadelphus lewisii</i>	sun - part shade	dry - moist	9	M	H

Shrub	<b>nootka rose</b>	<i>Rosa nutkana</i>	sun - part shade	moist - wet	10	M	H
Shrub	<b>oceanspray</b>	<i>Holodiscus discolor</i>	sun - shade	dry - moist	15	M	H
Shrub	<b>Oregon box</b>	<i>paxistima myrsinoides</i>	part shade - shade	dry - moist	3	L	M
Shrub	<b>Pacific ninebark</b>	<i>Physocarpus capitatus</i>	sun - shade	moist - wet	13	M	H
Shrub	<b>Pacific rhododendron</b>	<i>Rhododendron macrophyllum</i>	part shade - shade	dry - moist	25	M	M
Shrub	<b>Pacific wax myrtle</b>	<i>Myrica californica</i>	sun - part shade	dry - moist	15	M	H
Shrub	<b>red elderberry</b>	<i>Sambucus racemosa</i>	sun - shade	dry - moist	15	M	H
Shrub	<b>red huckleberry</b>	<i>Vaccinium parvifolium</i>	part shade - shade	dry - moist	10	M	L
Shrub	<b>red stem ceanothus</b>	<i>Ceanothus sanguineum</i>	sun	dry	10	M	M
Shrub	<b>red-flowering currant</b>	<i>Ribes sanguineum</i>	sun - part shade	dry - moist	6	H	M
Shrub	<b>red-osier dogwood</b>	<i>Cornus sericea</i>	sun - shade	moist - wet	15	H	H
Shrub	<b>salal</b>	<i>Gaultheria shallon</i>	part shade - shade	dry - moist	5	H	M
Shrub	<b>salmonberry</b>	<i>Rubus spectabilis</i>	sun - shade	moist - wet	10	M	H
Shrub	<b>serviceberry; juneberry</b>	<i>Amelanchier alnifolia</i>	sun - shade	dry - moist	20	H	H
Shrub	<b>snowberry</b>	<i>Symphoricarpos albus</i>	sun - shade	dry - moist	5	M	H
Shrub	<b>snowbrush; sticky laurel</b>	<i>Ceanothus velutinus</i>	sun	dry	10	L	L
Shrub	<b>spiraea; hardhack</b>	<i>Spiraea douglasii</i>	sun - part shade	moist - wet	12	M	H
Shrub	<b>stink currant</b>	<i>Ribes bracteosum</i>	sun - shade	moist - wet	5	L	M

Shrub	<b>subalpine spirea</b>	<i>Spiraea densiflora</i>	sun - part shade	moist - wet	5	M	M
Shrub	<b>swamp rose; clustered wild rose</b>	<i>Rosa pisocarpa</i>	sun - shade	moist - wet	6	L	H
Shrub	<b>sweet gale</b>	<i>Myrica gale</i>	sun - part shade	moist - wet	4.5	L	M
Shrub	<b>tall Oregon grape</b>	<i>Mahonia aquifolium</i>	sun - shade	dry - wet	8	H	H
Shrub	<b>thimbleberry</b>	<i>Rubus parviflorus</i>	sun - shade	dry - moist	8	M	M
Shrub	<b>twinberry</b>	<i>Lonicera involucrata</i>	sun - shade	moist - wet	9	L	H
Shrub	<b>white spirea; shiny-leaved spirea</b>	<i>Spirea betulifolia</i> var. <i>lucida</i>	sun - part shade	dry - moist	2	L	H
Ground-cover	<b>beach strawberry</b>	<i>Fragaria chiloensis</i>	sun - part shade	dry	1	H	H
Ground-cover	<b>bleeding heart</b>	<i>Dicentra formosa</i>	part shade - shade	dry - moist	1.5	H	H
Ground-cover	<b>blue-eyed grass</b>	<i>Sisyrinchium idahoensis</i>	sun - part shade	moist - wet	2	L	H
Ground-cover	<b>bracken fern</b>	<i>Pteridium aquilinum</i>	sun - shade	dry - moist	5	L	H
Ground-cover	<b>broad-leaved stonecrop</b>	<i>Sedum spathulifolium</i>	sun	dry	0.5	M	H
Ground-cover	<b>bunchberry</b>	<i>Cornus unalaschkensis</i>	part shade - shade	moist - wet	1	H	L
Ground-cover	<b>camas, common</b>	<i>Camassia quamash</i>	sun - part shade	dry - moist	1	M	M
Ground-cover	<b>camas, great</b>	<i>Camassia leichtlinii</i>	sun - part shade	moist	2	L	M
Ground-cover	<b>Cascade penstemon</b>	<i>Penstemon serrulatus</i>	sun - part shade	dry - moist	3	L	M
Ground-cover	<b>chocolate lily</b>	<i>fritillaria lanceolata</i>	sun - part shade	dry - moist	3	L	M

Ground-cover	<b>coastal gumweed</b>	<i>Grindelia stricta</i>	sun	dry - moist	3	M	M
Ground-cover	<b>columbia lewisia</b>	<i>Lewisia columbiana</i>	sun - part shade	dry	0.5	L	M
Ground-cover	<b>common harebell</b>	<i>Campanula rotundifolia</i>	sun - part shade	dry - moist	2	L	H
Ground-cover	<b>Cooley's hedge nettle</b>	<i>Stachys cooleyae</i>	sun - part shade	moist - wet	6	M	M
Ground-cover	<b>cow-parsnip</b>	<i>Heracleum lanatum</i>	sun - shade	moist - wet	8	L	M
Ground-cover	<b>deer fern</b>	<i>Blechnum spicant</i>	part shade - shade	dry - wet	2	H	M
Ground-cover	<b>Douglas aster</b>	<i>Aster subspicatus</i>	sun - part shade	dry - moist	3	L	H
Ground-cover	<b>edible thistle</b>	<i>Cirsium edule</i>	sun - part shade	dry - moist	5	L	M
Ground-cover	<b>false lily-of-the-valley</b>	<i>Maianthemum dilatatum</i>	sun - shade	moist - wet	1	M	H
Ground-cover	<b>false Solomon's-seal</b>	<i>Smilacina racemosa</i>	part shade - shade	moist	3	M	M
Ground-cover	<b>farewell-to-spring</b>	<i>Clarkia amoena</i>	sun - part shade	dry - moist	3	H	H
Ground-cover	<b>fireweed</b>	<i>Epilobium augustifolium</i>	sun - part shade	dry - moist	6	L	H
Ground-cover	<b>foam flower</b>	<i>Tiarella trifoliata</i>	part shade - shade	moist	1	L	M
Ground-cover	<b>fringecup</b>	<i>Tellima grandiflora</i>	part shade - shade	moist	1	L	M
Ground-cover	<b>goat's beard</b>	<i>Aruncus sylvester</i>	sun - part shade	moist - wet	5	H	M
Ground-cover	<b>golden eyed grass</b>	<i>Sisyrinchium californicum</i>	sun - part shade	moist - wet	1.5	L	M
Ground-cover	<b>goldenrod</b>	<i>Solidago canadensis</i>	sun - part shade	dry - moist	4	L	H

Ground-cover	<b>graceful cinquefoil</b>	<i>Potentilla gracilis</i>	sun	moist	2	L	M
Ground-cover	<b>Hendersons checker mallow</b>	<i>Sidalcea hendersonii</i>	sun	moist - wet	5	M	M
Ground-cover	<b>inside-out flower</b>	<i>Vancouveria hexandra</i>	part shade - shade	dry - moist	1	M	H
Ground-cover	<b>kinnikinnik; bearberry</b>	<i>Arctostaphylos uva-ursi</i>	sun - part shade	dry	1	H	M
Ground-cover	<b>kneeling angelica</b>	<i>Angelica genuflexa</i>	sun - part shade	moist - wet	5	L	M
Ground-cover	<b>lady fern</b>	<i>Athyrium filix-femina</i>	sun - shade	moist - wet	4	H	H
Ground-cover	<b>licorice fern</b>	<i>Polypodium glycyrrhiza</i>	part shade - shade	moist	1.5	L	L
Ground-cover	<b>maidenhair fern</b>	<i>Adiantum pedatum</i>	part shade - shade	moist - wet	2	H	M
Ground-cover	<b>nettle</b>	<i>Urtica dioica</i>	sun - shade	moist	6	L	H
Ground-cover	<b>nodding onion</b>	<i>Allium cernuum</i>	sun	dry - moist	1	M	M
Ground-cover	<b>oak fern</b>	<i>Gymnocarpium dryopteris</i>	part shade - shade	dry - moist	1	M	M
Ground-cover	<b>Oregon iris</b>	<i>Iris tenax</i>	sun - part shade	moist - wet	1	L	M
Ground-cover	<b>oxalis; wood sorrel</b>	<i>Oxalis oregana</i>	part shade - shade	dry - moist	0.5	H	H
Ground-cover	<b>Pacific waterleaf</b>	<i>Hydrophyllum tenuipes</i>	part shade - shade	moist - wet	0.5	L	M
Ground-cover	<b>palmate coltsfoot</b>	<i>Petasites frigidus var. palmatus</i>	sun - shade	moist - wet	2	L	H
Ground-cover	<b>pearly everlasting</b>	<i>Anaphalis margaritacea</i>	sun - part shade	dry - moist	2	H	H
Ground-cover	<b>piggyback plant; youth-on-age</b>	<i>Tolmiea menziesii</i>	part shade - shade	dry - moist	1	H	H

Ground-cover	<b>rattlesnake plantain</b>	<i>Goodyera oblongifolia</i>	shade	moist	0.5	L	M
Ground-cover	<b>Scouler's corydalis</b>	<i>Corydalis scouleri</i>	part shade - shade	dry - moist	3	L	M
Ground-cover	<b>sea-watch</b>	<i>Angelica lucida</i>	sun - part shade	moist - wet	5	L	M
Ground-cover	<b>showy fleabane</b>	<i>Erigeron speciosus</i>	sun - part shade	dry - moist	2	L	H
Ground-cover	<b>silverweed</b>	<i>Potentilla anserina var. pacifica</i>	sun - part shade	moist - wet	1.5	L	H
Ground-cover	<b>small flowered alumroot</b>	<i>Heuchera micrantha var. micrantha</i>	part shade - shade	dry - moist	2	M	H
Ground-cover	<b>spreading stonecrop</b>	<i>Sedum divergens</i>	sun	dry	0.5	M	H
Ground-cover	<b>star-flowered false Solomon's-seal</b>	<i>Smilacina stellata</i>	sun - shade	moist - wet	3	L	M
Ground-cover	<b>sword fern</b>	<i>Polystichum munitum</i>	part shade - shade	dry - moist	3	H	H
Ground-cover	<b>taper-tip onion; Hooker's onion</b>	<i>Allium acuminatum</i>	sun - part shade	dry	1	L	M
Ground-cover	<b>thrift; sea pink</b>	<i>Armeria maritima</i>	sun	dry - moist	1	H	H
Ground-cover	<b>trailing snowberry</b>	<i>Symphoricarpos mollis</i>	sun - shade	dry - moist	3	L	H
Ground-cover	<b>trillium</b>	<i>Trillium ovatum</i>	part shade - shade	dry - moist	1.5	M	M
Ground-cover	<b>twinflower</b>	<i>Linnaea borealis</i>	part shade - shade	dry - moist	0.5	M	H
Ground-cover	<b>vanilla leaf</b>	<i>Achlys triphylla</i>	part shade - shade	dry - moist	1	M	H
Ground-cover	<b>wapato; arrowhead</b>	<i>Sagittaria latifolia var. latifolia</i>	sun - part shade	wet	1.5	L	H